MATERIAL SAFETY DATA SHEET

BORON TRICHLORIDE

1. CHEMICAL PRODUCT AND COMPANYIDENTIFICATION

TAIYU INDUSTRIAL GASES Limited 16/F, Kowloon building, 555 Nathan Road, Mongkok Kowloon, Hong Kong

TELEPHONE NUMBER: (852)22979277

Chengdu Taiyu Industrial Gases Co.,Ltd Chengluo Avenue, Longquan District, Chengdu City, China (Mainland)

TELEPHONE NUMBER: (86) 28-88455212(commonly)

SUBSTANCE: BORON TRICHLORIDE

TRADE NAMES/SYNONYMS:

MTG MSDS 8; BORON CHLORIDE; CHLORURE DE BORE; TRICHLOROBORANE;

TRICHLOROBORON; BORANE, TRICHLORO-; BORON CHLORIDE (BCL3); UN 1741; BCL3;

MAT03310; RTECS ED1925000

CHEMICAL FAMILY: non-metallic, halides

CREATION DATE: Jan 24 1989 **REVISION DATE:** Mar 19 2003

2. COMPOSITION. INFORMATION ON INGREDIENTS

COMPONENT: BORON TRICHLORIDE

CAS NUMBER: 10294-34-5 **PERCENTAGE:** 100.0

3. HAZARDS IDENTIFICATION

NFPA RATINGS (SCALE 0-4): HEALTH=3 FIRE=0 REACTIVITY=2

EMERGENCY OVERVIEW:

COLOR: colorless

PHYSICAL FORM: fuming liquid, gas

ODOR: pungent odor

MAJOR HEALTH HAZARDS: respiratory tract burns, skin burns, eye burns, mucous membrane

burns

PHYSICAL HAZARDS: Containers may rupture or explode if exposed to heat. May react on contact with water. Releases toxic, corrosive, flammable or explosive gases.

POTENTIAL HEALTH EFFECTS:

INHALATION:

SHORT TERM EXPOSURE: burns

LONG TERM EXPOSURE: same as effects reported in short term exposure

SKIN CONTACT:

SHORT TERM EXPOSURE: burns

LONG TERM EXPOSURE: same as effects reported in short term exposure

EYE CONTACT:

SHORT TERM EXPOSURE: burns

LONG TERM EXPOSURE: same as effects reported in short term exposure

INGESTION:

SHORT TERM EXPOSURE: burns

LONG TERM EXPOSURE: same as effects reported in short term exposure

4. FIRST AID MEASURES

INHALATION: If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

SKIN CONTACT: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing and shoes before reuse. Destroy contaminated shoes.

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

INGESTION: If swallowed, drink plenty of water, do NOT induce vomiting. Get immediate medical attention

NOTE TO PHYSICIAN: For inhalation, consider oxygen. Avoid gastric lavage or emesis.

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: Negligible fire hazard. Containers may rupture or explode if exposed to heat.

EXTINGUISHING MEDIA: carbon dioxide, regular dry chemical

Large fires: Use regular foam or flood with fine water spray.

FIRE FIGHTING: Do not get water inside container. Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Keep unnecessary people away, isolate hazard area and deny entry.

FLASH POINT: not flammable

6. ACCIDENTAL RELEASE MEASURES

OCCUPATIONAL RELEASE:

Stop leak if possible without personal risk. Reduce vapors with water spray. Do not get water directly on material. Do not get water inside container. Keep unnecessary people away, isolate hazard area and deny entry. Small spills: Flood with water. Large spills: Dike for later disposal. Stay upwind and keep out of low areas. Ventilate closed spaces before entering. Evacuation radius: 150 feet. Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (U.S. SARA Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800)424-8802 (USA) or (202)426-2675 (USA).



7. HANDLING AND STORAGE

STORAGE: Store and handle in accordance with all current regulations and standards. Notify State Emergency Response Commission for storage or use at amounts greater than or equal to the TPQ (U.S. EPA SARA Section 302). SARA Section 303 requires facilities storing a material with a TPQ to participate in local emergency response planning (U.S. EPA 40 CFR 355.30). Store in a well-ventilated area. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Store below 52 C. Store in a cool, dry place. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS:

BORON TRICHLORIDE:

No occupational exposure limits established.

VENTILATION: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

EYE PROTECTION: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

CLOTHING: Wear appropriate chemical resistant clothing.

GLOVES: Wear appropriate chemical resistant gloves.

PROTECTIVE MATERIAL TYPES: butyl rubber, neoprene, polyvinyl chloride (PVC),

polyethylene

RESPIRATOR: Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use.

Any chemical cartridge respirator with acid gas cartridge(s).

Any chemical cartridge respirator with a full facepiece and acid gas cartridge(s).

Any air-purifying respirator with a full facepiece and an acid gas canister.

For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.

Any self-contained breathing apparatus with a full facepiece

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: gas

COLOR: colorless

PHYSICAL FORM: fuming liquid, gas

ODOR: pungent odor

MOLECULAR WEIGHT: 117.16 MOLECULAR FORMULA: B-CL3 BOILING POINT: 54.5 F (12.5 C) FREEZING POINT: -161 F (-107 C) VAPOR PRESSURE: 131.7 kPa @ 21.1 C

VAPOR DENSITY (air=1): 4.03

SPECIFIC GRAVITY (water=1): 1.349 @ 11 C WATER SOLUBILITY: decomposes/reacts

PH: acidic

VOLATILITY: Not applicable

ODOR THRESHOLD: Not available **EVAPORATION RATE:** Not applicable

VISCOSITY: 0.342 cP @ 0 C

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not applicable

SOLVENT SOLUBILITY: Decomposes: alcohol

10. STABILITY AND REACTIVITY

REACTIVITY: May react with evolution of heat on contact with water. Releases corrosive gases.

CONDITIONS TO AVOID: Minimize contact with material. Avoid inhalation of material or

combustion by-products. Containers may rupture or explode if exposed to heat.

INCOMPATIBILITIES: combustible materials, amines

HAZARDOUS DECOMPOSITION:

Decomposition products on contact with water or moisture: boron compounds, hydrochloric acid

Thermal decomposition products: chlorine **POLYMERIZATION:** Will not polymerize.

11. TOXICOLOGICAL INFORMATION

BORON TRICHLORIDE:

TOXICITY DATA:

2541 ppm/1 hour(s) inhalation-rat LC50

LOCAL EFFECTS:

Corrosive: inhalation, skin, eye, ingestion

ACUTE TOXICITY LEVEL: Moderately Toxic: inhalation

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D003.

14. TRANSPORT INFORMATION

U.S. DOT 49 CFR 172.101:

PROPER SHIPPING NAME: Boron trichloride

ID NUMBER: UN1741

HAZARD CLASS OR DIVISION: 2.3 LABELING REQUIREMENTS: 2.3; 8

QUANTITY LIMITATIONS:

PASSENGER AIRCRAFT OR RAILCAR: Forbidden

CARGO AIRCRAFT ONLY: Forbidden

ADDITIONAL SHIPPING DESCRIPTION: Toxic-Inhalation Hazard Zone C

CANADIAN TRANSPORTATION OF DANGEROUS GOODS:

SHIPPING NAME: Boron trichloride

UN NUMBER: UN1741

CLASS: 2.3; 8

15. REGULATORY INFORMATION

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4): Not regulated. SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):

BORON TRICHLORIDE: 500 LBS TPO

SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR

355.40):

BORON TRICHLORIDE: 500 LBS RQ

SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):

ACUTE: Yes CHRONIC: No

FIRE: No

REACTIVE: Yes

SUDDEN RELEASE: Yes

SARA TITLE III SECTION 313 (40 CFR 372.65):

BORON TRICHLORIDE

OSHA PROCESS SAFETY (29CFR1910.119):

BORON TRICHLORIDE: 2500 LBS TQ

STATE REGULATIONS:

California Proposition 65: Not regulated.

CANADIAN REGULATIONS: WHMIS CLASSIFICATION: AD1E NATIONAL INVENTORY STATUS:

U.S. INVENTORY (TSCA): Listed on inventory.
TSCA 12(b) EXPORT NOTIFICATION: Not listed.
CANADA INVENTORY (DSL/NDSL): Not determined

16. OTHER INFORMATION

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).