# **Material Safety Data Sheet**

# 1. Company Identification

TAIYU INDUSTRIAL GASES Limited 16/F, Kowloon building, 555 Nathan Road, Mongkok Kowloon, Hong Kong

**TELEPHONE NUMBER: (852)22979277** 

Chengdu Taiyu Industrial Gases Co.,Ltd Chengluo Avenue, Longquan District, Chengdu City, China (Mainland)

**TELEPHONE NUMBER: (86) 28-88455212(commonly)** 

# 2. Composition/Information on Ingredients

Components	CAS Number	% Volume
Neon	7440-01-9	99.999%

## 3. Hazards Identification

# **Emergency Overview**

May cause difficulty in breathing.

Containers may rupture or explode if exposed to heat.

### Potential Health Effects

Inhalation

Eye contact Skin contact

Ingestion

Chronic Health

Hazard

### 4. First Aid Measures

General advice

Eye contact

Skin contact

Ingestion

Inhalation

Note to physician : For inhalation, consider oxygen.

# 5. Fire-Fighting Measures

Suitable

Carbon dioxide, regular dry chemical.

extinguishing media

Large fires: Use regular foam or flood with fine water spray.

Specific hazards
Fire fighting

Negligible fire hazard. Containers may rupture or explode if exposed to heat.
 Move container from fire area if it can be done without risk. Cool containers with

water spray until well after fire is out. Stay away from ends of tanks. Withdraw immediately in case of rising sound from venting safety device or any

discoloration of tanks due to fire. For tank, rail car or tank truck, evacuation

radius: 800 meters (1/2 mile).

#### 6. Accidental Release Measures

Occupational spill/release

Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

Additional advice : None.

#### 7. Handling and Storage

#### Handling

Secure cylinder when using to protect from falling. Use suitable hand truck to move cylinders.

#### <u>Storage</u>

Store in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.

#### 8. Exposure Controls / Personal Protection

#### Engineering measures/Ventilation

Based on available information, additional ventilation is not required. Ensure compliance with applicable exposure limits.

# Personal protective equipment

Respiratory protection

Under conditions of frequent use or heavy exposure, respiratory protection may

be needed. Respiratory protection is ranked in order from maximum to

minimum. Consider warning properties before use.

For unknown concentrations or immediately dangerous to life or health — Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode. Any self-contained breathing apparatus that has a full facepiece

and is operated in a pressure-demand or other positive-pressure mode.

Hand protection : Wear insulated gloves.

Eye protection : For the gas: Eye protection is not required, but recommended. For the liquide:

Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the

immediate work area.

Skin and body : For the gas: Protective clothing is not required. For the liquid: Wear appropriate

protection protective, cold insulating clothing.

## 9. Physical and Chemical Properties

Form : Gas.

Chengdu Taiyu Industrial Gases Co,Ltd.. Revision Date: 5/11/2016 Color : Colorless.
Odor : Odorless.
Molecular weight : 20.179

Vapor pressure : 760 mmHg @ -246° C

Vapor density : 0.6964 (air = 1)

Specific gravity : Not applicable.

Boiling point : -411° F (-246° C)

Melting point : -416° F (-249° C)

Water solubility : Slightly soluble.

Evaporation rate : Not applicable.

# 10. Stability and Reactivity

Stability : Stable at normal temperatures and pressure.

Conditions to avoid : Protect from physical damage and heat. Containers may rupture or explode if

exposed to heat.

Materials to avoid : None. Hazardous : None.

decomposition products

# 11. Toxicological Information

#### Component Analysis - LD50/LC50

The components of this material have not been reviewed in various sources and no selected endpoints have been identified.

#### Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, OSHA or DFG.

# 12. Ecological Information

No LOLI ecotoxicity data are available for this product's components.

# 13. Disposal Considerations

Waste from residues

Dispose in accordance with all applicable regulations.

/ unused products Contaminated

: Return cylinder to supplier.

packaging

### 14. Transport Information

### DOT (US only)

Proper shipping : Neon, Compressed

name

Class : 2.2 UN/ID No. : UN1065

Labeling : Non-flammable Gas

#### Further information

Cylinders should be transported in a secure upright position in a well ventilated truck.

Chengdu Taiyu Industrial Gases Co,Ltd..

Revision Date: 05/111/2016

### 15. Regulatory Information

# U.S. Federal Regulations

None of this product's components are listed under SARA Section 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

## SARA 311/312

Acute: Yes Chronic: No Fire: No Reactive: No Pressure: Yes

# U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists: Component

NEON

Not regulated under California Proposition 65

### 16. Other Information

Prepared by

For additional information, please visit our website at www.americangasgroup.com.

Chengdu Taiyu Industrial Gases Co.,Ltd. Revision Date: 05/11/2016